

Don't let your dream go up in smoke...  
Ensure fire safety, save life, save property...

Introducing

# FIRE CONCEPT™

your first step to calm fire



IS:15683



CM/L-7400035705



AN ISO 9001:2015  
CERTIFIED COMPANY



CERTIFIED  
COMPANY

AN ISO :  
9001:2015  
CERTIFIED  
COMPANY

**POWDER**  
**FIRE CONCEPT™**  
**DRY POWDER**  
**FIRE EXTINGUISHER (STORED PRESSURE TYPE)**

**INSTRUCTIONS**

PULL THE PIN  
AIM AT THE BASE OF FIRE  
SQUEEZE THE LEVER  
SWEEP SIDE TO SIDE

**SUITABLE FOR A, B, C CLASSES OF FIRE**

**A** COMBUSTIBLES  
**B** LIQUIDS  
**C** FLAMMABLE GASES

**FIRE CONCEPT**  
Fire Rating : 3A-BBB  
Batch No. : E21-01  
Serial No. : 00126  
Model No. : FCARP 6150  
Empty Weight : 3.2KG  
Full Weight : 9.2KG  
Capacity : 6 KG  
Map : 50  
MRP : 4400/-  
Year of Mfg : 2021

**USE & MAINTENANCE AS PER**  
INSTRUCTIONS  
OPERATIONAL GAS : Nitrogen  
TEMPERATURE RANGE :  
-10°C TO +50°C  
MAX. PRESSURE : 35 BAR

**MANUFACTURED BY**  
**FIRE CONCEPT™**  
Plot No. B 17/11, MIDC Industrial Area, Near Indorama Gate No. 3, Bullion, Nagpur - 441 122 (M.H.)  
Call - +91 9921851766, 90900 54444, 78865 50099 E-mail - fireconcept.ind@gmail.com, Website - www.fireconcept.in

## Why Fire Concept ?

At Fire Concept, we make sure that each product manufactured and the services provided are as per the standards stated by the government. At Fire Concept, we have state of the art laboratory with latest testing equipments. The latest operational machinery helps us to provide top-notch quality products and services. Because of our quality and testing facilities our products have received high fire rating as compared to most of the companies in the market.

Every fire extinguisher at Fire Concept is manufactured with high-quality steel from world-class renowned companies like Tata and Jindal steel. The thickness of each cylinder is a minimum of **1.5 mm**, which is 30% more than the required of 1.2 mm by IS. At the Fire Concept, every fire extinguisher passes through leakage test and hydraulic pressure test at **35 bar**. Out of every batch, random samples are collected which undergo the following tests as per the BIS standard.

- Resistance To Temperature Changes
- Burst Test
- Cyclic Pressure Test
- Tapping Test
- Mechanical Resistance (Impact Resistance) Test -
- Resistance to corrosion test (Salt Spray Test)
- Crushing Test
- Vibration Test
- Discharge Test
- Load Bearing Test

### Application :

**Class A** :- Wood, Paper, Rubber, Plastic Etc...

**Class B** :- Flammable Liquids, Diesel, Petrol, Paint, Oil (Not Cooking Oil) Etc...

**Class C** :- Flammable Gases, Liquefied Gases, Butane, Propane Etc... for Electrically Started Fire

### OUR PRODUCTS



### Application :

**Class A** :- Wood, Paper, Rubber, Plastic Etc...

**Class B** :- Flammable Liquids, Diesel, Petrol, Paint, Oil (Not Cooking Oil) Etc...

**Class C** :- Flammable Gases, Liquefied Gases, Butane, Propane Etc... for Electrically Started Fire

### ABC TYPE FIRE EXTINGUISHER

### MODULAR TYPE AUTOMATIC FIRE EXTINGUISHER



### Application :

**Class B** :- Flammable Liquids, Diesel, Petrol, Paint, Oil (Not Cooking Oil) Electrical Fires Etc...

### CO2 TYPE FIRE EXTINGUISHER

### Application :

**Class A** :- Wood, Paper, Rubber, Plastic Etc...

### WATER FIRE EXTINGUISHER

### Application :

**Class A** :- Wood, Paper, Rubber, Plastic Etc...  
**Class B** :- Flammable Liquids, Diesel, Petrol, Paint, Oil (Not Cooking Oil) Etc...

### FOAM TYPE FIRE EXTINGUISHER

### AUTOMATIC FIRE BALLS



Drum shaped fire balls



Round Shaped Fire Balls

### OTHER SAFETY PRODUCTS



FIRE BLANKET



FIRE BUCKET WITH STAND

### OUR SERVICES

**REFILLING SERVICES**  
AS PER IS : 2190

**AMC**  
(Annual Maintenance Contract)

**DRY RUN / MOCK DRILL / TRAINING / PRESENTATION**

Authorised Distributor :

**FIRE CONCEPT**™ your first step to calm fire

Plot No. B17/11, MIDC Industrial Area, Near Indorama Gate No.3, Butibori, Nagpur - 441 122 (M.H.)

Cell : +91 9921951786, 75885 50099

Email : [fireconcept.ind@gmail.com](mailto:fireconcept.ind@gmail.com) | Website : [www.fireconcept.in](http://www.fireconcept.in)